

EB-725Wi



Interactive agile display that creates an impact in any workspace. Focused on user needs and connecting people in or out of the workplace.

Transform any workspace with this flexible and scalable display that increases collaboration, productivity as well as delivering sustainability. Regardless of angles or room layout, every person enjoys uninterrupted, immersive viewing, with space maximised and social distancing made possible, without the unnecessary cost of larger fixed size screens.

Flexibility is paramount with the EB-725Wi, with bright, large scalable display options up to 100". Unlike flat-panel equivalents, there are no shadows, glare or blind spots, and the 4,000lm high-brightness laser light source can work when ambient lighting is also high. Multi-screen interactivity makes collaboration easy and intuitive, while a split-screen feature can show up to four inputs in one large display at HD resolution.

The viewing experience is more immersive, with multiple connectivity options enhancing exceptional image and sound quality. For the ultimate in engagement, wireless connectivity, including Screen Mirroring via Miracast, allows everyone to share content from their tablets, mobiles or laptops.

Users can annotate content with pen and (optional) finger touch, alongside advanced whiteboard options. The EB-725Wi also supports additional collaboration and productivity tools, including print, save and email, and multiple inputs in one display, including video conferencing, visualiser cameras and presentation technology.

Unlike flat panels displays, the EB-725Wi provides multiple display sizes and formats for one fixed cost. It also offers flexible mounting options, it's faster and easier to deploy, it's more comfortable to view, it's more sustainable and it provides more hygienic workspaces when used with antibacterial whiteboards - free from finger marks.

DATASHEET / BROCHURE



KEY FEATURES

- **Any room, any size**
Bright, large-format display options up to 100"
- **Send productivity soaring**
Easy-to-use interface, optional responsive touch and fast set up
- **Versatile collaboration**
Expand connectivity, through wireless, VC cameras and many others
- **Exceptional reliability**
Maintenance-free laser technology for fit-and-forget peace of mind



EPSON
EXCEED YOUR VISION

PRODUCT SPECIFICATIONS

TECHNOLOGY

Projection System	3LCD Technology, RGB liquid crystal shutter
LCD Panel	0.59 inch with C2 Fine

IMAGE

Color Light Output	4,000 Lumen- 2,800 Lumen (economy) In accordance with IDMS15.4
White Light Output	4,000 Lumen - 2,800 Lumen (economy) In accordance with ISO 21118:2012
Resolution	WXGA, 1280 x 800, 16:10
High Definition	HD ready
Aspect Ratio	16:10
Contrast Ratio	2,500,000 : 1
Light source	Laser
Laser Light source	20,000 hours Durability High, 30,000 hours Durability Eco
Keystone Correction	Manual vertical: $\pm 3^\circ$, Manual horizontal $\pm 3^\circ$
Colour Video Processing	10 Bits
2D Vertical Refresh Rate	100 Hz - 120 Hz
Colour Reproduction	Upto 1.07 billion colours

OPTICAL

Throw Ratio	0.28 - 0.37:1
Zoom	Digital, Factor: 1 - 1.35
Lens	Optical
Screen Size	65 inches - 100 inches
Projection Lens F Number	1.6
Projection Lens Focal Length	3.7 mm
Projection Lens Focus	Manual
Offset	6 : 1

CONNECTIVITY

Interfaces	USB 2.0 Type A (2x), USB 2.0 Type B (2x), RS-232C, Ethernet interface (100 Base-TX / 10 Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac, Wi-Fi Direct, VGA in (2x), VGA out, HDMI in (3x), Miracast, Stereo mini jack audio out, Stereo mini jack audio in (3x), Microphone input, Finger-touch interface (optional), Sync. in, Sync. out, Multi-Touch interface (optional)
Epson iProjection App	Ad-Hoc / Infrastructure
Network Protocol	HTTPS, IPv4, IPv6, SNMP, ESC/VP.net, PjLink

EB-725Wi

WHAT'S IN THE BOX

- 2 x Pen tip(Teflon)
- 4 x Pen tip(Felt)
- Pen Holder/Stand
- Removable battery x2
- Interactive pens
- Power cable
- Remote control incl. batteries
- Replacement pen tips
- USB cable
- Quick Start Guide



EPSON[®]
EXCEED YOUR VISION

PRODUCT SPECIFICATIONS

ADVANCED FEATURES

Security	Kensington lock, Control panel lock, Password lock, Padlock, Security cable hole, Wireless LAN unit lock, Wireless LAN security, Password protection
2D Colour Modes	Dynamic, Cinema, Presentation, sRGB, Blackboard
Other features	A/V mute, Arc Correction, Auto Calibration, Auto Power On, Auto source search, Built-in speaker, CEC compatible, Digital zoom, Direct Power on/off, Document Camera Compatible, Dual Pen Support, Easy OSD pre-setting, Email notification, Finger-touch support, Home Screen, Horizontal and vertical keystone correction, Image Shift, Instant on/off, Interactive, Interactive Home Screen, Interactive OSD menu, Mail notification function, Microphone input, Network administration, Network projection, OSD copy function, PC Interactive, PC free annotation, Projection App for Chromebook, Quick Corner, Schedule Function, Screen Mirroring, Screen share, Sliding split-screen feature, Split-Screen-Function, Super resolution, Web Control, Web Remote, Whiteboard sharing function, Wireless LAN capable, iProjection App, iProjector set-up by QR code
Interactivity	Yes - pen and finger-touch
Video Color Modes	Blackboard, Cinema, Dynamic, Presentation, sRGB
Projector control	via: AMX, Crestron, Extron, Crestron (RS-232c only), Crestron Integrated Partner, Crestron RoomView, Extron IP Link, Extron XTP, AMX Device Discovery, Control4 Simple Device Discovery Protocol

GENERAL

Power consumption	255 Watt, 197 Watt (economy), 0.5 Watt (standby)
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Product dimensions	356 x 395 x 133 mm (Width x Depth x Height)
Product weight	5.8 kg
Noise Level	Normal: 36 dB (A) - Economy: 26 dB (A)
Supported Temperature	Storage -10° C - 60° C
Included Software	Easy Interactive Tools, iProjection, Epson Projector Management
Options	Connection and control box, Document camera, External Speaker, Pen tip(Felt), Pen tip(Teflon), Wall mount, Wireless LAN unit
Loudspeaker	16 Watt
Room Type / Application	Boardroom, Meeting room / Classroom
Positioning	Ceiling Mounted, Table Mounted, Wall Mounted
Colour	White
TCO Certified	For further information relating to TCO Certified please visit https://tcocertified.com/files/certification/Information-document-for-end-users.pdf

OTHER

Warranty	60 months Carry in or 12,000 h Optional warranty extension available
----------	---

EB-725Wi

WHAT'S IN THE BOX

- 2 x Pen tip(Teflon)
- 4 x Pen tip(Felt)
- Pen Holder/Stand
- Removable battery x2
- Interactive pens
- Power cable
- Remote control incl. batteries
- Replacement pen tips
- USB cable
- Quick Start Guide

OPTIONAL ACCESSORIES

EB-725Wi

- ELPFT01 - Finger Touch Unit
V12H007A24
- ELPMB63 - Finger Touch Wall Bracket for ELPFT01
V12HA05A09
- Interactive Pen - ELPPN05A - Orange - EB-6xxWi/Ui / 14xxUi
V12H773010
- Interactive Pen - ELPPN05B - Blue - EB-6xxWi/Ui / 14xxUi
V12H774010
- Wall Mount - ELPMB62 - EB-7xx / EB-8xx
V12HA06A06
- Air Filter - ELPAF60 - EB-7XX / EB-L2xx Series
V13H134A60
- Ceiling Mount (White) - ELPMB23
V12H003B23
- Ceiling Pipe (450mm) - ELPPF13
V12H003P13
- Ceiling Pipe (700mm) - ELPPF14
V12H003P14

LOGISTICS INFORMATION

SKU	V11H998040
EAN code	8715946681849
Country of Origin	China



* Warranty offers are not available for all countries. Please contact your local Epson representative.

For further information please contact your local Epson office or visit www.epson-europe.com
Austria 01 253 49 78 333 Belgium +32 (0)2 792 04 47 Czech 800/142 052 Denmark 44 50 85 85 Finland 0201 552 091 France 09 74 75 04 04
(Cost of local call, operator charges may apply) Germany +49 (0) 2159/92 79 500 Greece +30 211 198 62 12 Hungary 06800 147 83 Ireland 01 436 7742
Italy 02-660321 10 (0,12 /min) Luxembourg +352 27860692 Middle East +9714 8872172 Netherlands +31 (0)20 708 5099 Norway +47 67 11 37 00
Poland 0-0-800 4911299 (0,16 zł/min) Portugal 707 222 111 Russia (095) 777-03-55 Slovakia 0850 111 429 South Africa (+2711) 465-9621
Spain 93 582 15 00 Sweden 0771-400135 (Mobilsamtal – 0,99 kr/min, Lokala samtal – 0,30 kr/min, Utlandssamtal – 0,89 kr/min)
Switzerland 022 592 7923
Turkey (0212) 3360303 United Kingdom 0871 222 6702

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners.
Product information is subject to change without prior notice.

EPSON[®]