



Office Entry



Office Entry



Office Entry



Office Entry

Specifications	EP-07C	EP-10C	EP-12C	EP-15C
Cut Type	Cross cut	Cross cut	Cross cut	Cross cut
Sheet Capacity (70g sheets)	7	10	12	15
Cut size (mm)	4*30	4*50	4*15	4*50
Cut Type (DIN-66399, P1-P7)	P4	P4	P4	P4
Shred Capability:	Paper,staples(CD)	Papers/Staples/Credit Cards, CD's	Papers/Staples/Credit Cards, CD's	Papers/Staples/Credit Cards, CD's
Shred Speed	2m/min	2.5m/min	2m/min	2.5m/min
Power Rating	70w	180w	200w	230W
Throat size	230mm	230mm	230mm	230mm
Noise Level(db)	<65	<56db	<52db	<56db
Bin Capacity(L)	15	16L	22L	21L
Bin Type	single	Pull out	Pull out	Pull out
Auto start and stop/Reverse	yes	yes	yes	yes
Thermal/ overload protection	no	no	yes	yes
Auto Stop on Jamming	yes	yes	yes	yes
Over heat protection	yes	yes	yes	yes
Bin full	no	no	yes	yes
Product Size(LxWxHmm):	320*190*375	330*225*490	380X250X517	365*265*555
Certification	CE	CE	CE	CE
Duty Cycle	Approx 5-10 mins	Approx 10-15mins	Approx 10-15mins	Approx 10-15mins
Net Weight (Kg):	4.5	9.5	9.1	13.7



Authorized Distributor and Service Center
NEDO CORPORATION

KARACHI | LAHORE | ISLAMABAD

www.nedogroup.com | UAN: 021-111-633-675



Office Medium



Secure Office



Big Office Use

Specifications	EP-20C	EP-20CM	EP-25C
Cut Type	Cross cut	Mirco cut	Cross cut
Sheet Capacity (70g sheets)	20	20	25
Cut size (mm)	4*40	2X10	4*40
Cut Type (DIN-66399, P1-P7)	P4	P5	P4
Shred Capability:	Papers/Staples/Credit Cards, CD's	Paper, Staples, Credit cards, CD's / DVD	Papers/Staples/Credit Cards, CD's
Shred Speed	3m/min	2.5m/min	3m/min
Power Rating	300w	300w	340w
Throat size	230mm	230mm	230mm
Noise Level(db)	<56db	<56db	<56db
Bin Capacity(L)	26L	40L	34L
Bin Type	Door open	Pull out	Door open
Auto start and stop/Reverse	yes	Yes	yes
Thermal/ overload protection	yes	Yes	yes
Auto Stop on Jamming	yes	yes	yes
Over heat protection	yes	yes	yes
Bin full	yes	yes	yes
Product Size(LxWxHmm):	438*290*705	460X206X737	438*285*730
Certification	CE	CE	CE
Duty Cycle	Approx 15-20mins	Approx 30mins	Approx 20mins
Net Weight (Kg):	18.8	20	22.5



Authorized Distributor and Service Center

NEDO CORPORATION

KARACHI | LAHORE | ISLAMABAD

www.nedogroup.com | UAN: 021-111-633-675



Heavy Duty Commercial Use



Heavy Duty Commercial Use



Heavy Duty Commercial Use

Specifications	EP-32C	EP-40C	EP-50S
Cut Type	Cross cut	Cross cut	Strip cut
Sheet Capacity (70g sheets)	32	40	50
Cut size (mm)	4*30	4*30	4
Cut Type (DIN-66399, P1-P7)	P4	P4	P2
Shred Capability:	Papers/Staples/Credit Cards, CD's	Papers/Staples/Credit Cards, CD's	Papers/Staples/Credit Cards, CD's
Shred Speed	3.5m/min	5.8m/min	3.5m/min
Power Rating	900w	900w	900w
Throat size	310mm	310mm	310mm
Noise Level(db)	<56db	<56db	<56db
Bin Capacity(L)	80L	150L	110L
Bin Type	Door open	Door open	Door open
Auto start and stop/Reverse	yes	yes	yes
Thermal/ overload protection	yes	yes	yes
Auto Stop on Jamming	yes	yes	yes
Over heat protection	yes	yes	yes
Bin full	yes	yes	yes
Product Size(LxWxHmm):	520*385*895	560*500*980	520*385*895
Certification	CE	CE	CE
Duty Cycle	Approx 45mins	Approx 4 Hrs	Approx 45mins
Net Weight (Kg):	66	95	66



Authorized Distributor and Service Center
NEDO CORPORATION

KARACHI | LAHORE | ISLAMABAD

www.nedogroup.com | UAN: 021-111-633-675